


**MERIDA UNIWERSALIN PLUS+****SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier:** MERIDA UNIWERSALIN PLUS+
- Other means of identification:**  
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Detergent. For professional users/industrial user only.  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
Merida Sp. z o.o.  
ul. Karkonoska 59  
53 – 015 Wrocław - Dolnoslaskie - Polska  
Phone: +48 (71) 33 97 888 - Fax: +48 (71) 33 97 888  
grzegorz.pawlak@merida.com.pl  
www.merida.com.pl
- 1.4 Emergency telephone number:** +48 71 33 97 888 (godz.: 8.00-15.00 pn-pt) lub całodobowo 112

**SECTION 2: HAZARDS IDENTIFICATION \*\***

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Eye Dam. 1: Serious eye damage, Category 1, H318  
Skin Irrit. 2: Skin irritation, Category 2, H315
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
Danger
- 
- Hazard statements:**  
Eye Dam. 1: H318 - Causes serious eye damage.  
Skin Irrit. 2: H315 - Causes skin irritation.
- Precautionary statements:**  
P264: Wash hands thoroughly after handling  
P280: Wear protective gloves/protective clothing/eye protection/protective footwear.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a poison center/doctor.  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.
- Substances that contribute to the classification**  
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts; Isotridecanol, ethoxylated > 2.5 mol EO
- 2.3 Other hazards:**  
Product fails to meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\***

- 3.1 Substance:**

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\* (continued)**

Non-applicable

**3.2 Mixture:**

**Chemical description:** Mixture composed of chemical products

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification  | Chemical name/Classification  | Concentration                             |
|---|---|---|
| CAS: 68411-30-3<br>EC: 270-115-0<br>Index: Non-applicable<br>REACH: 01-2119489428-22-XXXX | <b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> <sup>1</sup><br>Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger          | Self-classified<br><b>10 - &lt;25 %</b>   |
| CAS: 68891-38-3<br>EC: 500-234-8<br>Index: Non-applicable<br>REACH: 01-2119488639-16-XXXX | <b>Alcohols, C12-14(even numbered), ethoxylated &lt; 2.5 EO, sulfates, sodium salts</b> <sup>1</sup><br>Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger      | Self-classified<br><b>2,5 - &lt;5 %</b>   |
| CAS: 69011-36-5<br>EC: 500-241-6<br>Index: Non-applicable<br>REACH: Non-applicable        | <b>Isotridecanol, ethoxylated&gt; 2.5 mol EO</b> <sup>1</sup><br>Regulation 1272/2008 Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger   | Self-classified<br><b>0,5 - &lt;1,5 %</b> |
| CAS: 3811-73-2<br>EC: 223-296-5<br>Index: 613-344-00-7<br>REACH: 01-2119493385-28-XXXX    | <b>Pyridine-2-thiol 1-oxide, sodium salt</b> <sup>1</sup><br>Regulation 1272/2008 Acute Tox. 4: H302+H332; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger | Self-classified<br><b>&lt;0,1 %</b>       |
| CAS: 123-92-2<br>EC: 204-662-3<br>Index: 607-130-00-2<br>REACH: 01-2119548408-32-XXXX     | <b>Isopentyl acetate</b> <sup>2</sup><br>Regulation 1272/2008 Flam. Liq. 3: H226; EUH066 - Warning  | ATP CLP00<br><b>&lt;0,1 %</b>             |

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>2</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification  | M-factor  |
|---|---|
| Pyridine-2-thiol 1-oxide, sodium salt<br>CAS: 3811-73-2 EC: 223-296-5   | Acute 100<br>Chronic 1  |
| Identification  | Specific concentration limit  |
| Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts<br>CAS: 68891-38-3<br>EC: 500-234-8 | % (w/w) >=10: Eye Dam. 1 - H318<br>5<= % (w/w) <10: Eye Irrit. 2 - H319 |

\*\* Changes with regards to the previous version

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+****SECTION 4: FIRST AID MEASURES (continued)****By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE**

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+**

**SECTION 7: HANDLING AND STORAGE (continued)**

**7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

- Minimum Temp.: -10 °C
- Maximum Temp.: 40 °C
- Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification                                   |  | Occupational exposure limits |         |                       |
|--|--|------------------------------|---------|-----------------------|
| Isopentyl acetate<br>CAS: 123-92-2 EC: 204-662-3 |  | IOELV (8h)                   | 50 ppm  | 270 mg/m <sup>3</sup> |
|  |  | IOELV (STEL)                 | 100 ppm | 540 mg/m <sup>3</sup> |

**DNEL (Workers):**

| Identification  |            | Short exposure |                | Long exposure         |                |
|---|------------|----------------|----------------|-----------------------|----------------|
|   |            | Systemic       | Local          | Systemic              | Local          |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3<br>EC: 270-115-0                      | Oral       | Non-applicable | Non-applicable | Non-applicable        | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 119 mg/kg             | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 7,6 mg/m <sup>3</sup> | Non-applicable |
| Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts<br>CAS: 68891-38-3<br>EC: 500-234-8 | Oral       | Non-applicable | Non-applicable | Non-applicable        | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 2750 mg/kg            | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 175 mg/m <sup>3</sup> | Non-applicable |
| Isotridecanol, ethoxylated> 2.5 mol EO<br>CAS: 69011-36-5<br>EC: 500-241-6  | Oral       | Non-applicable | Non-applicable | Non-applicable        | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 2080 mg/kg            | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 294 mg/m <sup>3</sup> | Non-applicable |

**DNEL (General population):**

| Identification   |            | Short exposure |                | Long exposure         |                |
|--|------------|----------------|----------------|-----------------------|----------------|
|  |            | Systemic       | Local          | Systemic              | Local          |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3<br>EC: 270-115-0 | Oral       | Non-applicable | Non-applicable | 0,425 mg/kg           | Non-applicable |
|  | Dermal     | Non-applicable | Non-applicable | 42,5 mg/kg            | Non-applicable |
|  | Inhalation | Non-applicable | Non-applicable | 1,3 mg/m <sup>3</sup> | Non-applicable |

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Identification  |            | Short exposure |                | Long exposure        |                |
|---|------------|----------------|----------------|----------------------|----------------|
|   |            | Systemic       | Local          | Systemic             | Local          |
| Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts<br>CAS: 68891-38-3<br>EC: 500-234-8 | Oral       | Non-applicable | Non-applicable | 15 mg/kg             | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 1650 mg/kg           | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 52 mg/m <sup>3</sup> | Non-applicable |
| Isotridecanol, ethoxylated> 2.5 mol EO<br>CAS: 69011-36-5<br>EC: 500-241-6  | Oral       | Non-applicable | Non-applicable | 25 mg/kg             | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 1250 mg/kg           | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 87 mg/m <sup>3</sup> | Non-applicable |

**PNEC:**

| Identification  |              |                |                         |             |
|---|--------------|----------------|-------------------------|-------------|
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3<br>EC: 270-115-0                      | STP          | 3,43 mg/L      | Fresh water             | 0,268 mg/L  |
|   | Soil         | 35 mg/kg       | Marine water            | 0,027 mg/L  |
|   | Intermittent | 0,017 mg/L     | Sediment (Fresh water)  | 8,1 mg/kg   |
|   | Oral         | Non-applicable | Sediment (Marine water) | 6,8 mg/kg   |
| Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts<br>CAS: 68891-38-3<br>EC: 500-234-8 | STP          | 10000 mg/L     | Fresh water             | 0,24 mg/L   |
|   | Soil         | 7,5 mg/kg      | Marine water            | 0,024 mg/L  |
|   | Intermittent | 0,071 mg/L     | Sediment (Fresh water)  | 0,917 mg/kg |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,092 mg/kg |
| Isotridecanol, ethoxylated> 2.5 mol EO<br>CAS: 69011-36-5<br>EC: 500-241-6  | STP          | 1,4 mg/L       | Fresh water             | 0,074 mg/L  |
|   | Soil         | 0,1 mg/kg      | Marine water            | 0,007 mg/L  |
|   | Intermittent | 0,015 mg/L     | Sediment (Fresh water)  | 0,604 mg/kg |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,06 mg/kg  |
| Isopentyl acetate<br>CAS: 123-92-2<br>EC: 204-662-3   | STP          | 30 mg/L        | Fresh water             | 0,011 mg/L  |
|   | Soil         | 0,06 mg/kg     | Marine water            | 0,001 mg/L  |
|   | Intermittent | 0,11 mg/L      | Sediment (Fresh water)  | 0,335 mg/kg |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,034 mg/kg |

**8.2 Exposure controls:**



**A.- Individual protection measures, such as personal protective equipment**

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

**B.- Respiratory protection**



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

**C.- Specific protection for the hands**

| Pictogram  | PPE                                   | Labelling   | CEN Standard | Remarks  |
|--|---------------------------------------|---|--------------|--|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

**D.- Eye and face protection**



| Pictogram  | PPE   | Labelling   | CEN Standard                    | Remarks   |
|--|---|---|---------------------------------|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

**E.- Body protection**



- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram | PPE                  | Labelling   | CEN Standard      | Remarks   |
|-----------|----------------------|---|-------------------|---|
|           | Work clothing        |  |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

F.- Additional emergency measures

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                                   |
|---------------------------|-----------------------------------|
| V.O.C. (Supply):          | 0,02 % weight                     |
| V.O.C. density at 20 °C:  | 0,23 kg/m <sup>3</sup> (0,23 g/L) |
| Average carbon number:    | 7,81                              |
| Average molecular weight: | 143,13 g/mol                      |

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

|                          |                  |
|--------------------------|------------------|
| Physical state at 20 °C: | Liquid           |
| Appearance:              | Fluid            |
| Colour:                  | Ultramarine      |
| Odour:                   | Floral           |
| Odour threshold:         | Non-applicable * |

**Volatility:**

|  |                         |
|--|-------------------------|
| Boiling point at atmospheric pressure: | 100 °C                  |
| Vapour pressure at 20 °C:              | 2350 Pa                 |
| Vapour pressure at 50 °C:              | 12380,35 Pa (12,38 kPa) |
| Evaporation rate at 20 °C:             | Non-applicable *        |

**Product description:**

|                               |                               |
|-------------------------------|-------------------------------|
| Density at 20 °C:             | 1030 - 1040 kg/m <sup>3</sup> |
| Relative density at 20 °C:    | 1,042                         |
| Dynamic viscosity at 20 °C:   | 250 - 300 cP                  |
| Kinematic viscosity at 20 °C: | Non-applicable *              |
| Kinematic viscosity at 40 °C: | Non-applicable *              |
| Concentration:                | Non-applicable *              |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+**

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

|  |                        |
|--|------------------------|
| pH:  | 5 - 6                  |
| Vapour density at 20 °C:                     | Non-applicable *       |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *       |
| Solubility in water at 20 °C:                | Non-applicable *       |
| Solubility properties:                       | Non-applicable *       |
| Decomposition temperature:                   | Non-applicable *       |
| Melting point/freezing point:                | Non-applicable *       |
| <b>Flammability:</b>                         |                        |
| Flash Point:                                 | Non Flammable (>60 °C) |
| Flammability (solid, gas):                   | Non-applicable *       |
| Autoignition temperature:                    | 235 °C                 |
| Lower flammability limit:                    | Non-applicable *       |
| Upper flammability limit:                    | Non-applicable *       |
| <b>Particle characteristics:</b>             |                        |
| Median equivalent diameter:                  | Non-applicable         |

**9.2 Other information:**

**Information with regard to physical hazard classes:**

|  |                  |
|--|------------------|
| Explosive properties:  | Non-applicable * |
| Oxidising properties:  | Non-applicable * |
| Corrosive to metals:   | Non-applicable * |
| Heat of combustion:  | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

**Other safety characteristics:**

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight   | Humidity       |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable     | Not applicable   | Precaution              | Precaution | Not applicable |

**10.5 Incompatible materials:**

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+**

**SECTION 11: TOXICOLOGICAL INFORMATION \*\***

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: d-limonene (3); 2,6-di-tert-butyl-p-cresol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification   |                 | Acute toxicity | Genus |
|--|-----------------|----------------|-------|
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3<br>EC: 270-115-0 | LD50 oral       | 1260 mg/kg     | Rat   |
|  | LD50 dermal     | Non-applicable |       |
|  | LC50 inhalation | Non-applicable |       |
| Isotridecanol, ethoxylated> 2.5 mol EO<br>CAS: 69011-36-5<br>EC: 500-241-6                   | LD50 oral       | 500 mg/kg      | Rat   |
|  | LD50 dermal     | Non-applicable |       |
|  | LC50 inhalation | Non-applicable |       |

\*\* Changes with regards to the previous version



**MERIDA UNIWERSALIN PLUS+**

**SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)**

| Identification   | Acute toxicity  |                | Genus |
|--|-----------------|----------------|-------|
| Pyridine-2-thiol 1-oxide, sodium salt<br>CAS: 3811-73-2<br>EC: 223-296-5 | LD50 oral       | 1208 mg/kg     | Rat   |
|  | LD50 dermal     | 300 mg/kg      |       |
|  | LC50 inhalation | Non-applicable |       |
| Isopentyl acetate<br>CAS: 123-92-2<br>EC: 204-662-3                      | LD50 oral       | 7400 mg/kg     | Rat   |
|  | LD50 dermal     | Non-applicable |       |
|  | LC50 inhalation | Non-applicable |       |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

**Other information**

Non-applicable

\*\* Changes with regards to the previous version

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

**Acute toxicity:**

| Identification  | Concentration | Species              | Genus                     |
|---|---------------|----------------------|---------------------------|
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3<br>EC: 270-115-0                      | LC50          | 1,67 mg/L (96 h)     | Lepomis macrochirus       |
|   | EC50          | 2,9 mg/L (48 h)      | Daphnia magna             |
|   | EC50          | 29 mg/L (96 h)       | Selenastrum capricornutum |
| Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts<br>CAS: 68891-38-3<br>EC: 500-234-8 | LC50          | 7,1 mg/L (96 h)      | Danio rerio               |
|   | EC50          | 7,4 mg/L (48 h)      | Daphnia magna             |
|   | EC50          | 27 mg/L (72 h)       | Scenedesmus subspicatus   |
| Pyridine-2-thiol 1-oxide, sodium salt<br>CAS: 3811-73-2<br>EC: 223-296-5  | LC50          | >0.1 - 1 mg/L (96 h) | Fish                      |
|   | EC50          | >0.1 - 1 mg/L (48 h) | Crustacean                |
|   | EC50          | >0.1 - 1 mg/L (72 h) | Algae                     |
| Isopentyl acetate<br>CAS: 123-92-2<br>EC: 204-662-3   | LC50          | Non-applicable       |                           |
|   | EC50          | 42 mg/L (48 h)       | Daphnia magna             |
|   | EC50          | Non-applicable       |                           |

**Chronic toxicity:**

| Identification   | Concentration | Species   | Genus               |
|--|---------------|-----------|---------------------|
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3 EC: 270-115-0                      | NOEC          | 0,23 mg/L | Oncorhynchus mykiss |
|  | NOEC          | 1,18 mg/L | Daphnia magna       |
| Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts<br>CAS: 68891-38-3 EC: 500-234-8 | NOEC          | 0,2 mg/L  | Oncorhynchus mykiss |
|  | NOEC          | 0,27 mg/L | Daphnia magna       |

**12.2 Persistence and degradability:**

**Substance-specific information:**

| Identification  | Degradability |                | Biodegradability |           |
|---|---------------|----------------|------------------|-----------|
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3<br>EC: 270-115-0                      | BOD5          | Non-applicable | Concentration    | 34.3 mg/L |
|   | COD           | Non-applicable | Period           | 29 days   |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 89 %      |
| Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts<br>CAS: 68891-38-3<br>EC: 500-234-8 | BOD5          | Non-applicable | Concentration    | 10.5 mg/L |
|   | COD           | Non-applicable | Period           | 28 days   |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 100 %     |

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+**

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

| Identification   |           | Bioaccumulation potential |
|--|-----------|---------------------------|
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts<br>CAS: 68411-30-3<br>EC: 270-115-0 | BCF       | 2                         |
|  | Pow Log   | 3.32                      |
|  | Potential | Low                       |
| Isopentyl acetate<br>CAS: 123-92-2<br>EC: 204-662-3  | BCF       | 10                        |
|  | Pow Log   |                           |
|  | Potential | Low                       |

**12.4 Mobility in soil:**

| Identification                                      | Absorption/desorption |                      | Volatility |                              |
|---|-----------------------|----------------------|------------|------------------------------|
| Isopentyl acetate<br>CAS: 123-92-2<br>EC: 204-662-3 | Koc                   | 70                   | Henry      | 59,78 Pa·m <sup>3</sup> /mol |
|   | Conclusion            | Very High            | Dry soil   | Non-applicable               |
|   | Surface tension       | 2,388E-2 N/m (25 °C) | Moist soil | Yes                          |

**12.5 Results of PBT and vPvB assessment:**

Product fails to meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

| Code      | Description                                | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 20 01 29* | detergents containing hazardous substances | Dangerous                                  |

**Type of waste (Regulation (EU) No 1357/2014):**

HP4 Irritant — skin irritation and eye damage

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

**Transport of dangerous goods by land:**

With regard to ADR 2021 and RID 2021:

## MERIDA UNIWERSALIN PLUS+

### SECTION 14: TRANSPORT INFORMATION (continued)

|  |                |
|--|----------------|
| <b>14.1 UN number or ID number:</b>                                  | Non-applicable |
| <b>14.2 UN proper shipping name:</b>                                 | Non-applicable |
| <b>14.3 Transport hazard class(es):</b>                              | Non-applicable |
| Labels:  | Non-applicable |
| <b>14.4 Packing group:</b>   | Non-applicable |
| <b>14.5 Environmental hazards:</b>                                   | No             |
| <b>14.6 Special precautions for user</b>                             |                |
| Special regulations:   | Non-applicable |
| Tunnel restriction code:   | Non-applicable |
| Physico-Chemical properties:   | see section 9  |
| Limited quantities:  | Non-applicable |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Non-applicable |

#### Transport of dangerous goods by sea:

With regard to IMDG 40-20:

|  |                |
|--|----------------|
| <b>14.1 UN number or ID number:</b>                                  | Non-applicable |
| <b>14.2 UN proper shipping name:</b>                                 | Non-applicable |
| <b>14.3 Transport hazard class(es):</b>                              | Non-applicable |
| Labels:  | Non-applicable |
| <b>14.4 Packing group:</b>   | Non-applicable |
| <b>14.5 Marine pollutant:</b>  | No             |
| <b>14.6 Special precautions for user</b>                             |                |
| Special regulations:   | Non-applicable |
| EmS Codes:   |                |
| Physico-Chemical properties:   | see section 9  |
| Limited quantities:  | Non-applicable |
| Segregation group:   | Non-applicable |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Non-applicable |

#### Transport of dangerous goods by air:

With regard to IATA/ICAO 2023:

|  |                |
|--|----------------|
| <b>14.1 UN number or ID number:</b>                                  | Non-applicable |
| <b>14.2 UN proper shipping name:</b>                                 | Non-applicable |
| <b>14.3 Transport hazard class(es):</b>                              | Non-applicable |
| Labels:  | Non-applicable |
| <b>14.4 Packing group:</b>   | Non-applicable |
| <b>14.5 Environmental hazards:</b>                                   | No             |
| <b>14.6 Special precautions for user</b>                             |                |
| Physico-Chemical properties:   | see section 9  |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Non-applicable |

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Pyridine-2-thiol 1-oxide, sodium salt, 1,2-benzisothiazol-3(2H)-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Pyridine-2-thiol 1-oxide, sodium salt (Product-type 2, 6, 7, 9, 10, 13); 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Regulation (EC) No 648/2004 on detergents:**

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+****SECTION 15: REGULATORY INFORMATION (continued)**

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

**Labelling for contents:**

| Component             | Concentration interval |
|-----------------------|------------------------|
| Anionic surfactants   | 15 <= % (w/w) < 30     |
| Polycarboxylates      | % (w/w) < 5            |
| Non-ionic surfactants | % (w/w) < 5            |
| perfumes              |                        |

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), Pyridine-2-thiol 1-oxide, sodium salt (SODIUM PYRITHIONE).

**Seveso III:**

Non-applicable

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....)**

:

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION****Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11):

- New declared substances  
Isotridecanol, ethoxylated > 2.5 mol EO (69011-36-5)
- Removed substances  
Alcohols, C16-18, ethoxylated (25 EO) (68439-49-6)  
Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates (68649-29-6)

Substances that contribute to the classification (SECTION 2):

- New declared substances  
Isotridecanol, ethoxylated > 2.5 mol EO (69011-36-5)
- Removed substances  
Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates (68649-29-6)

**Texts of the legislative phrases mentioned in section 2:**

H315: Causes skin irritation.

H318: Causes serious eye damage.

**Texts of the legislative phrases mentioned in section 3:**

- CONTINUED ON NEXT PAGE -

**MERIDA UNIWERSALIN PLUS+****SECTION 16: OTHER INFORMATION (continued)**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

**Classification procedure:**

Skin Irrit. 2: Calculation method

Eye Dam. 1: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -