This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



MERIDA SUPER SANITIN PLUS+

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

MERIDA SUPER SANITIN PLUS+

Other means of identification:

None

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Detergent. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Merida Sp. z o.o. ul. Karkonoska 59 53 – 015 Wroclaw - Dolnoslaskie - Polska Phone: +48 (71) 33 97 888 - Fax: +48 (71) 33 97 888 grzegorz.pawlak@merida.com.pl www.merida.com.pl

1.4 Emergency telephone number: +48 71 33 97 888 (godz.: 8.00-15.00 pn-pt) lub całodobowo 112

SECTION 2: HAZARDS IDENTIFICATION *'

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1: Skin corrosion, Category 1, H314

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P264: Wash hands thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

Supplementary information:

EUH208: Contains But-2-yno-1,4-diol. May produce an allergic reaction Substances that affect classification: Phosphoric(V) acid; Amidosulfuric(VI) acid; Isotridecanol ethoxylated > 2,5 mol EO

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

** Changes with regards to the previous version

Version: 8 (Replaced 7)



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MERIDA SUPER SANITIN PLUS+

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification		Concentration
CAS: 7664-38-2 EC: 231-633-2 Index: 015-011-00-6 REACH:01-2119485924-24- XXXX	Phosphoric acid ⁽¹⁾ Regulation 1272/2008	Acute Tox. 4: H302; Met. Corr. 1: H290; Skin Corr. 1B: H314 - Danger	Self-classified	7,5 - <10 %
CAS: 5329-14-6 EC: 226-218-8 Index: 016-026-00-0 REACH:01-2119488633-28- XXXX	Sulphamidic acid ⁽¹⁾ Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	ATP CLP00	7,5 - <10 %
CAS: 69011-36-5 EC: 500-241-6 Index: Non-applicable REACH:Non-applicable	Isotridecanol, ethoxyla Regulation 1272/2008	t ted> 2.5 mol EO⁽¹⁾ Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	Self-classified	1,5 - <2,5 %
CAS: 111-76-2 EC: 203-905-0 Index: 603-014-00-0 REACH:01-2119475108-36- XXXX	2-butoxyethanol ⁽²⁾ Regulation 1272/2008	Acute Tox. 4: H302+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	ATP ATP15	0,5 - <1,5 %
CAS: 112-34-5 EC: 203-961-6 Index: 603-096-00-8 REACH:01-2119475104-44- XXXX	2-(2-butoxyethoxy)etha Regulation 1272/2008	anol ^{co} Eye Irrit. 2: H319 - Warning	ATP CLP00	0,1 - <0,25 %
CAS: 25307-17-9 EC: 246-807-3 Index: Non-applicable REACH:01-2119510876-35- XXXX	2,2'-(octadec-9-enylim Regulation 1272/2008	ino)bisethanol (2 EO) ⁽⁻⁾ Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Corr. 1B: H314 - Danger	Self-classified	<0,1 %
CAS: Non-applicable EC: 939-350-2 Index: Non-applicable REACH:01-2119970550-39- XXXX	Benzyl-C12-14-alkyldin Regulation 1272/2008	nethylammonium chlorides ⁽¹⁾ Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1 H318; Skin Corr. 1B: H314 - Danger	Self-classified	<0,1 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification					M-factor
2-(2-butoxyethoxy)etha	nol			Acute	10
CAS: 112-34-5 EC: 203-961-6			Chronic	1	
2,2'-(octadec-9-enylimino)bisethanol (2 EO)			Acute	10	
CAS: 25307-17-9 EC: 246-807-3			Chronic	1	
Benzyl-C12-14-alkyldimethylammonium chlorides				Acute	1
CAS: Non-applicable	EC: 939-350-2			Chronic	10
	Identification		Spec	cific concentration	on limit
CAS: 7664-38-2 10<= % EC: 231-633-2 % (w/w)			% (w/w) >=25: Skin Corr. 1B 10<= % (w/w) <25: Skin Irrit. 1 % (w/w) >=25: Eye Dam. 1 - I 10<= % (w/w) <25: Eye Irrit. 2	2 - H315 H318	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.



legislation

MERIDA SUPER SANITIN PLUS+

SECTION 4: FIRST AID MEASURES (continued)

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.


For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:



legislation

Merida

MERIDA SUPER SANITIN PLUS+

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

۹	A Technical measures for storage				
	Minimum Temp.:	-10 °C			
	Maximum Temp.:	40 °C			
	Maximum time:	24 Months			

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Δ

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occup	ational exposure li	nits
Phosphoric acid	IOELV (8h)		1 mg/m ³
CAS: 7664-38-2 EC: 231-633-2	IOELV (STEL)		2 mg/m ³
2-butoxyethanol	IOELV (8h)	20 ppm	98 mg/m ³
CAS: 111-76-2 EC: 203-905-0	IOELV (STEL)	50 ppm	246 mg/m ³
2-(2-butoxyethoxy)ethanol	IOELV (8h)	10 ppm	67,5 mg/m³
CAS: 112-34-5 EC: 203-961-6	IOELV (STEL)	15 ppm	101,2 mg/m ³

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Phosphoric acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-38-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-633-2	Inhalation	Non-applicable	2 mg/m ³	10,7 mg/m³	1 mg/m³

- CONTINUED ON NEXT PAGE -



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MERIDA SUPER SANITIN PLUS+

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure Long exposure		exposure
Identification		Systemic	Local	Systemic	Local
Sulphamidic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5329-14-6	Dermal	Non-applicable	Non-applicable	10 mg/kg	Non-applicable
EC: 226-218-8	Inhalation	Non-applicable	Non-applicable	70,5 mg/m ³	Non-applicable
Isotridecanol, ethoxylated> 2.5 mol EO	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	294 mg/m ³	Non-applicable
2-butoxyethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	125 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	1091 mg/m ³	246 mg/m ³	98 mg/m ³	Non-applicable
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	101,2 mg/m ³	67,5 mg/m ³	67,5 mg/m ³
2,2'-(octadec-9-enylimino)bisethanol (2 EO)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 25307-17-9	Dermal	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
EC: 246-807-3	Inhalation	Non-applicable	Non-applicable	2,96 mg/m ³	Non-applicable
Benzyl-C12-14-alkyldimethylammonium chlorides	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	5,7 mg/kg	Non-applicable
EC: 939-350-2	Inhalation	Non-applicable	Non-applicable	3,96 mg/m ³	Non-applicable

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Phosphoric acid	Oral	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
CAS: 7664-38-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-633-2	Inhalation	Non-applicable	Non-applicable	4,57 mg/m ³	0,36 mg/m ³
Sulphamidic acid	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 5329-14-6	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 226-218-8	Inhalation	Non-applicable	Non-applicable	17,4 mg/m ³	Non-applicable
sotridecanol, ethoxylated> 2.5 mol EO	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	87 mg/m³	Non-applicable
2-butoxyethanol	Oral	Non-applicable	Non-applicable	6,3 mg/kg	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	75 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	426 mg/m ³	147 mg/m ³	59 mg/m³	Non-applicable
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	50 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	60,7 mg/m ³	40,5 mg/m ³	40,5 mg/m ³
2,2´-(octadec-9-enylimino)bisethanol (2 EO)	Oral	Non-applicable	Non-applicable	0,15 mg/kg	Non-applicable
CAS: 25307-17-9	Dermal	Non-applicable	Non-applicable	0,15 mg/kg	Non-applicable
EC: 246-807-3	Inhalation	Non-applicable	Non-applicable	0,522 mg/m ³	Non-applicable
Benzyl-C12-14-alkyldimethylammonium chlorides	Oral	Non-applicable	Non-applicable	3,4 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	3,4 mg/kg	Non-applicable
EC: 939-350-2	Inhalation	Non-applicable	Non-applicable	1,64 mg/m ³	Non-applicable
NEC:					
Identification					
Sulphamidic acid	STP	20 mg/L	Fresh water		1,8 mg/L
CAS: 5329-14-6	Soil	5 mg/kg	Marine water		0,18 mg/L
EC: 226-218-8	Intermittent	0,48 mg/L	Sediment (Fresh	n water)	8,36 mg/kg
	Oral	Non-applicable	Sediment (Marin	ne water)	0,84 mg/kg



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MERIDA SUPER SANITIN PLUS+

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Isotridecanol, ethoxylated> 2.5 mol EOSTP1,4 mg/LFresh water0,07 mCAS: 69011-36-5Soil0,1 mg/kgMarine water0,07 mEC: 500-241-6Intermittent0,015 mg/LSediment (Fresh water)0,604 mOralNon-applicableSediment (Marine water)0,604 m2-butoxyethanolSTP463 mg/LFresh water8,8 mg/LCAS: 111-76-2Soil2,33 mg/kgMarine water0,88 mg/LEC: 203-905-0Intermittent26,4 mg/LSediment (Fresh water)3,46 mg/LEC: 203-905-0Intermittent20,0 g/kgSediment (Marine water)3,46 mg/L2(-2-butoxyethoxy)ethanolSTP200 mg/LFresh water1,1 mg/LCAS: 112-34-5Soil0,32 mg/kgMarine water)0,11 mg/LEC: 203-961-6Intermittent11 mg/LSediment (Marine water)0,44 mg/L2,2 -(octadec-9-enylimino)bisethanol (2 EO)STP1,5 mg/LFresh water0,000 mg/L2,2 -(octadec-9-enylimino)bisethanol (2 EO)STP1,5 mg/LFresh water0,000 mg/LCAS: 25307-17-9Soil5 mg/kgMarine water)0,000 mg/L0,000 mg/LEC: 246-807-3Intermittent0,00043 mg/LSediment (Fresh water)0,000 mg/L	ng/L ng/kg J/kg L
EC: 500-241-6 Intermittent 0,015 mg/L Sediment (Fresh water) 0,604 mg/L 2-butoxyethanol Oral Non-applicable Sediment (Marine water) 0,604 mg/L 2-butoxyethanol STP 463 mg/L Fresh water 8,8 mg/L CAS: 111-76-2 Soil 2,33 mg/kg Marine water 0,88 mg/L EC: 203-905-0 Intermittent 26,4 mg/L Sediment (Fresh water) 3,46 mg/L 2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L 2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L 2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L CAS: 112-34-5 Soil 0,32 mg/kg Marine water) 0,44 mg/L EC: 203-961-6 Intermittent 11 mg/L Sediment (Marine water) 0,44 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,000 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) Soil 5 mg/kg Marine water 0,000 mg/L	o ng/kg n/kg L
Oral Non-applicable Sediment (Marine water) 0,06 mg 2-butoxyethanol STP 463 mg/L Fresh water 8,8 mg/L CAS: 111-76-2 Soil 2,33 mg/kg Marine water 0,88 mg/L EC: 203-905-0 Intermittent 26,4 mg/L Sediment (Marine water) 34,6 mg/L 2-(2-butoxyethoxy)ethanol Oral 0,02 g/kg Sediment (Marine water) 3,46 mg/L 2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L CAS: 112-34-5 Soil 0,32 mg/kg Marine water) 0,41 mg/L EC: 203-961-6 Intermittent 1 mg/L Sediment (Marine water) 0,44 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,000 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,000 mg/L CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,000 mg/L	j/kg L
2-butoxyethanolSTP463 mg/LFresh water8,8 mg/LCAS: 111-76-2Soil2,33 mg/kgMarine water0,88 mg/LEC: 203-905-0Intermittent26,4 mg/LSediment (Fresh water)34,6 mg/LOral0,02 g/kgSediment (Marine water)3,46 mg/L2-(2-butoxyethoxy)ethanolSTP200 mg/LFresh water1,1 mg/LCAS: 112-34-5Soil0,32 mg/kgMarine water0,11 mg/LEC: 203-961-6Intermittent11 mg/LSediment (Fresh water)4,4 mg/L0ral0,056 g/kgSediment (Marine water)0,44 mg/L2,2'-(octadec-9-enylimino)bisethanol (2 EO)STP1,5 mg/LFresh water0,00016CAS: 25307-17-9Soil5 mg/kgMarine water0,00016	L
CAS: 111-76-2 Soil 2,33 mg/kg Marine water 0,88 mg EC: 203-905-0 Intermittent 26,4 mg/L Sediment (Fresh water) 34,6 mg Oral 0,02 g/kg Sediment (Marine water) 3,46 mg 2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L CAS: 112-34-5 Soil 0,32 mg/kg Marine water 0,11 mg/L EC: 203-961-6 Intermittent 11 mg/L Sediment (Marine water) 4,4 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,000 ffe CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,000 ffe	
EC: 203-905-0 Intermittent 26.4 mg/L Sediment (Fresh water) 34.6 mg/L 2-(2-butoxyethoxy)ethanol Oral 0.02 g/kg Sediment (Marine water) 3.46 mg/L 2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L CAS: 112-34-5 Soil 0.32 mg/kg Marine water 0,11 mg/L EC: 203-961-6 Intermittent 11 mg/L Sediment (Marine water) 4,4 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,00016 CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,00016	J/L
Oral Oral O.02 g/kg Sediment (Marine water) 3,46 mg 2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L CAS: 112-34-5 Soil 0,32 mg/kg Marine water 0,11 mg/L EC: 203-961-6 Intermittent 11 mg/L Sediment (Marine water) 4,4 mg/L Qral 0,056 g/kg Sediment (Marine water) 0,44 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,000 ff CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,000 ff	
2-(2-butoxyethoxy)ethanol STP 200 mg/L Fresh water 1,1 mg/L CAS: 112-34-5 Soil 0,32 mg/kg Marine water 0,11 mg/L EC: 203-961-6 Intermittent 11 mg/L Sediment (Fresh water) 4,4 mg/L Qral 0.056 g/kg Sediment (Marine water) 0,44 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,00016 CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,00016	j/kg
CAS: 112-34-5 Soil 0,32 mg/kg Marine water 0,11 mg EC: 203-961-6 Intermittent 11 mg/L Sediment (Fresh water) 4,4 mg/L Oral 0,056 g/kg Sediment (Marine water) 0,44 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,00016 CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,00016	j/kg
EC: 203-961-6 Intermittent 11 mg/L Sediment (Fresh water) 4,4 mg/L Oral 0,056 g/kg Sediment (Marine water) 0,44 mg/L 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,00016 CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,00016	L
Oral Oral O,056 g/kg Sediment (Marine water) 0,44 mg 2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,00016 CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,00016	J/L
2,2'-(octadec-9-enylimino)bisethanol (2 EO) STP 1,5 mg/L Fresh water 0,00016 CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,00016	kg
CAS: 25307-17-9 Soil 5 mg/kg Marine water 0,00001	j/kg
	6 mg/L
EC: 246-807-3 Intermittent 0,00043 mg/L Sediment (Fresh water) 1,692 m	6 mg/L
	ng/kg
Oral 2 g/kg Sediment (Marine water) 0,169 m	ng/kg
Benzyl-C12-14-alkyldimethylammonium chlorides STP 0,4 mg/L Fresh water 0,001 m	
CAS: Non-applicable Soil 7 mg/kg Marine water 0,001 m	ig/L
EC: 939-350-2 Intermittent 0 mg/L Sediment (Fresh water) 12,27 m	•
Oral Non-applicable Sediment (Marine water) 13,09 m	ig/L

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

	Pictogram	PPE	Labelling	CEN Standard	Remarks
N	Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
- Body protection	I			
Pictogram	PPE	Labelling	CEN Standard	Remarks

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

Merida[®]

MERIDA SUPER SANITIN PLUS+

SECTION	SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)								
	Pictogram	PPE	Labelling	CEN Standard	Remarks				
	Ficiogram	FFE	Labelling	CEN Standard	Relians				
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007				
F	Additional emergend	cy measures							
	Emergency measu	ure S	tandards	Emergency measu	re Standards				
	Emergency show	ISO 3864-1:20	SI Z358-1 011, ISO 3864-4:201	1 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011				

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0,71 % weight
V.O.C. density at 20 °C:	7,71 kg/m³ (7,71 g/L)
Average carbon number:	6,04
Average molecular weight:	118,39 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties:					
	For complete information see the product datasheet.					
	Appearance:					
	Physical state at 20 °C:	Liquid				
	Appearance:	Fluid				
	Colour:	Red				
	Odour:	Fruity				
	Odour threshold:	Non-applicable *				
	Volatility:					
	Boiling point at atmospheric pressure:	100 °C				
	Vapour pressure at 20 °C:	2346 Pa				
	Vapour pressure at 50 °C:	12362,61 Pa (12,36 kPa)				
	Evaporation rate at 20 °C:	Non-applicable *				
	Product description:					
	Density at 20 °C:	1085 - 1095 kg/m³				
	Relative density at 20 °C:	1,122				
	Dynamic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 40 °C:	Non-applicable *				
	Concentration:	Non-applicable *				
	pH:	0,2 - 1,2				
	Vapour density at 20 °C:	Non-applicable *				
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *				
	Solubility in water at 20 °C:	Non-applicable *				
	*Not relevant due to the nature of the product, not providing in	formation property of its hazards.				

- CONTINUED ON NEXT PAGE -

Revised: 06/10/2022

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific 3 Merida

MERIDA SUPER SANITIN PLUS+

SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	TIES (continued)
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	204 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing informa	tion property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

10.

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
).5	ncompatible materials:				
	incompatible materials:				
	Acids	Water	Oxidising materials	Combustible materials	Others

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

Information on hazard classes as defined in Regulation (EC) No 1272/2008: 11.1

** Changes with regards to the previous version

legislation



MERIDA SUPER SANITIN PLUS+

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

- Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: 2-butoxyethanol (3); d-limonene (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Ad	cute toxicity	Genus
Phosphoric acid	LD50 oral	1250 mg/kg	Mouse
CAS: 7664-38-2	LD50 dermal	2740 mg/kg	Rabbit
EC: 231-633-2	LC50 inhalation	Non-applicable	
Sulphamidic acid	LD50 oral	3160 mg/kg	Rat
CAS: 5329-14-6	LD50 dermal	Non-applicable	
EC: 226-218-8	LC50 inhalation	Non-applicable	

** Changes with regards to the previous version

legislation

Merida®

MERIDA SUPER SANITIN PLUS+

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

Identification	Ac	cute toxicity	Genus
Isotridecanol, ethoxylated> 2.5 mol EO	LD50 oral	500 mg/kg	Rat
CAS: 69011-36-5	LD50 dermal	Non-applicable	
EC: 500-241-6	LC50 inhalation	Non-applicable	
2-butoxyethanol	LD50 oral	1200 mg/kg	Rat
CAS: 111-76-2	LD50 dermal	3000 mg/kg	Rabbit
EC: 203-905-0	LC50 inhalation	Non-applicable	
2,2'-(octadec-9-enylimino)bisethanol (2 EO)	LD50 oral	1260 mg/kg	Rat
CAS: 25307-17-9	LD50 dermal	Non-applicable	
EC: 246-807-3	LC50 inhalation	Non-applicable	
Benzyl-C12-14-alkyldimethylammonium chlorides	LD50 oral	795 mg/kg	Rat
CAS: Non-applicable	LD50 dermal	3412 mg/kg	Rabbit
EC: 939-350-2	LC50 inhalation	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Sulphamidic acid	LC50	70,3 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5329-14-6	EC50	Non-applicable		
EC: 226-218-8	EC50	Non-applicable		
2-butoxyethanol	LC50	1490 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 111-76-2	EC50	1815 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-905-0	EC50	911 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
2-(2-butoxyethoxy)ethanol	LC50	1300 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 112-34-5	EC50	2850 mg/L (24 h)	Daphnia magna	Crustacean
EC: 203-961-6	EC50	53 mg/L (192 h)	Microcystis aeruginosa	Algae
2,2'-(octadec-9-enylimino)bisethanol (2 EO)	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 25307-17-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 246-807-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
Benzyl-C12-14-alkyldimethylammonium chlorides	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: Non-applicable	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 939-350-2	EC50	>0.1 - 1 mg/L (72 h)		Algae

			Species	Genus
Sulphamidic acid	NOEC	0,025 mg/L	Jordanella floridae	Fish
CAS: 5329-14-6 EC: 226-218-8	NOEC	0,15 mg/L	Tantytarsus dissimilis	Crustacean
2-butoxyethanol	NOEC	100 mg/L	Danio rerio	Fish
CAS: 111-76-2 EC: 203-905-0	NOEC	100 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability: Substance-specific information:

·

** Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MERIDA SUPER SANITIN PLUS+

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Degra	adability	Biodegradab	ility
2-butoxyethanol	BOD5	0,71 g O2/g	Concentration	100 mg/L
CAS: 111-76-2	COD	2,2 g O2/g	Period	14 days
EC: 203-905-0	BOD5/COD	0,32	% Biodegradable	96 %
2-(2-butoxyethoxy)ethanol	BOD5	0,25 g O2/g	Concentration	100 mg/L
CAS: 112-34-5	COD	2,08 g O2/g	Period	28 days
EC: 203-961-6	BOD5/COD	0,12	% Biodegradable	92 %
2,2'-(octadec-9-enylimino)bisethanol (2 EO)	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 25307-17-9	COD	Non-applicable	Period	28 days
EC: 246-807-3	BOD5/COD	Non-applicable	% Biodegradable	88 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccu	mulation potential
2-butoxyethanol	BCF	3
CAS: 111-76-2	Pow Log	0.83
EC: 203-905-0	Potential	Low
2-(2-butoxyethoxy)ethanol	BCF	0.46
CAS: 112-34-5	Pow Log	0.56
EC: 203-961-6	Potential	Low

12.4 Mobility in soil:

Identification	Absorp	tion/desorption		Volatility
2-butoxyethanol	Koc	8	Henry	1,621E-1 Pa·m³/mo
CAS: 111-76-2	Conclusion	Very High	Dry soil	No
EC: 203-905-0	Surface tension	2,729E-2 N/m (25 °C)	Moist soil	Yes
2-(2-butoxyethoxy)ethanol	Koc	48	Henry	7,2E-9 Pa·m³/mol
CAS: 112-34-5	Conclusion	Very High	Dry soil	No
EC: 203-961-6	Surface tension	3,395E-2 N/m (25 °C)	Moist soil	No
2,2'-(octadec-9-enylimino)bisethanol (2 EO)	Koc	Non-applicable	Henry	Non-applicable
CAS: 25307-17-9	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 246-807-3	Surface tension	2,8E-2 N/m (25 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

legislation



MERIDA SUPER SANITIN PLUS+

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION **

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

marroga			
14.1	UN number or ID number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	Tunnel restriction code:	Non-applicable	
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	
Transport of dangerous goods by sea:			
With regard to IMDG 40-20:			
14.1	UN number or ID number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Marine pollutant:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	EmS Codes:		
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
	Segregation group:	Non-applicable	
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	
Transport of dangerous goods by air:			
With rega	rd to IATA/ICAO 2022:		
14.1	UN number or ID number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
	r nysico onemical properties.	See Section 9	

14.7 Maritime transport in bulk according to IMO instruments:

Non-applicable

** Changes with regards to the previous version

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture: 15.1

legislation



MERIDA SUPER SANITIN PLUS+

SECTION 15: REGULATORY INFORMATION (continued)

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
Perfumes, preservatives: BENZALKONIUM CHLORIDE	

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific Merida

MERIDA SUPER SANITIN PLUS+

SECTION 16: OTHER INFORMATION ** (continued) COMMISSION REGULATION (EU) 2020/878 COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12): New declared substances 2-(2-butoxyethoxy)ethanol (112-34-5) 2,2'-(octadec-9-enylimino)bisethanol (2 EO) (25307-17-9) Benzyl-C12-14-alkyldimethylammonium chlorides · Removed substances but-2-yne-1,4-diol (110-65-6) Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (M=10) (68424-85-1) Substances that contribute to the classification (SECTION 2): New declared substances Benzyl-C12-14-alkyldimethylammonium chlorides Reaction mass of [[(2-hydroxyethyl)imino]bis(methylene)] bisphosphonic acid and phosphonic acid, P-[(tetrahydro-2-hydroxy-2oxido-4H-1,4,2-oxazaphosphorin-4-yl)methyl] Removed substances Isotridecanol, ethoxylated> 2.5 mol EO (69011-36-5) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): · Hazard statements · Precautionary statements Supplementary information TRANSPORT INFORMATION (SECTION 14): UN number · Packing group Texts of the legislative phrases mentioned in section 2: H318: Causes serious eye damage. H314: Causes severe skin burns and eye damage. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox, 4: H302+H332 - Harmful if swallowed or if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



MERIDA SUPER SANITIN PLUS+

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.