

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: MERIDA MULTI FLOOR CHERRY PLUS +

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Detergent. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Merida Sp. z o.o. ul. Karkonoska 59

53 - 015 Wroclaw - Dolnoslaskie - Polska

Phone: +48 (71) 33 97 888 - Fax: +48 (71) 33 97 888

grzegorz.pawlak@merida.com.pl

www.merida.com.pl

1.4 Emergency telephone number: +48 71 33 97 888 (godz.: 8.00-15.00 pn-pt) lub całodobowo 112

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary statements:

P264: Wash hands thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE -

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 1/13

^{**} Changes with regards to the previous version

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

	Identification		Chemical name/Classification		Concentration	
	67-63-0	propan-2-ol ¹ ATP CLP00				
REACH:	200-661-7 603-117-00-0 H: 01-2119457558-25- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	(1)	10 - <25 %	
CAS:	107-98-2	1-methoxy-2-propano	1	ATP ATP01		
Index: REACH:	203-539-1 603-064-00-3 01-2119457435-35- XXXX	Regulation 1272/2008	Flam. Liq. 3: H226; STOT SE 3: H336 - Warning	(1)	1,5 - <2,5 %	
CAS: EC:	69011-36-5	Isotridecanol, ethoxyl	ated> 2.5 mol EO ¹	Self-classified		
Index:	500-241-6 Non-applicable H: Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	<u>(1)</u>	1,5 - <2,5 %	
	69011-36-5 500-241-6 Non-applicable d: 01-2119976362-32- XXXX	Isotridecanol, ethoxyl	ated (5 mol EO) ¹	Self-classified		
REACH:		Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319 - Warning	! >	0,5 - <1,5 %	
	123-51-3	3-methylbutan-1-ol ²		Self-classified		
REACH:	204-633-5 Non-applicable I: 01-2119493725-26- XXXX	Regulation 1272/2008	Acute Tox. 4: H332; Eye Dam. 1: H318; Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT SE 3: H335; EUH066 - Danger	(! > (*)	<0,1 %	
	110-43-0 203-767-1	heptan-2-one ²		ATP CLP00		
Index: REACH:	203-767-1 606-024-00-3 : 01-2119902391-49- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Flam. Liq. 3: H226 - Warning	(1)	<0,1 %	

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

² Substance with a Union workplace exposure limit

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 5: FIREFIGHTING MEASURES (continued)

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

it is recommended to avoid environmental spillage of both the product and its container

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 7: HANDLING AND STORAGE (continued)

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: -10 °C

Maximum Temp.: 40 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occi	Occupational exposure limits		
1-methoxy-2-propanol	IOELV (8h)	100 ppm	375 mg/m³	
CAS: 107-98-2 EC: 203-539-1	IOELV (STEL)	150 ppm	568 mg/m ³	
3-methylbutan-1-ol	IOELV (8h)	5 ppm	18 mg/m³	
CAS: 123-51-3 EC: 204-633-5	IOELV (STEL)	10 ppm	37 mg/m³	
heptan-2-one	IOELV (8h)	50 ppm	238 mg/m³	
CAS: 110-43-0 EC: 203-767-1	IOELV (STEL)	100 ppm	475 mg/m³	

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m ³	Non-applicable
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	183 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	553,5 mg/m³	553,5 mg/m³	369 mg/m³	Non-applicable
Isotridecanol, ethoxylated> 2.5 mol EO	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	294 mg/m³	Non-applicable
Isotridecanol, ethoxylated (5 mol EO)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	294 mg/m³	Non-applicable
3-methylbutan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 123-51-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 204-633-5	Inhalation	Non-applicable	292 mg/m³	Non-applicable	73,16 mg/m³
heptan-2-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 110-43-0	Dermal	Non-applicable	Non-applicable	54,27 mg/kg	Non-applicable
EC: 203-767-1	Inhalation	1516 mg/m³	Non-applicable	394,25 mg/m³	Non-applicable

DNEL (General population):



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m³	Non-applicable
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	33 mg/kg	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	78 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	Non-applicable	Non-applicable	43,9 mg/m³	Non-applicable
Isotridecanol, ethoxylated> 2.5 mol EO	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	87 mg/m³	Non-applicable
Isotridecanol, ethoxylated (5 mol EO)	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	87 mg/m³	Non-applicable
3-methylbutan-1-ol	Oral	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
CAS: 123-51-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 204-633-5	Inhalation	Non-applicable	218 mg/m³	Non-applicable	13 mg/m³
heptan-2-one	Oral	Non-applicable	Non-applicable	23,32 mg/kg	Non-applicable
CAS: 110-43-0	Dermal	Non-applicable	Non-applicable	23,32 mg/kg	Non-applicable
EC: 203-767-1	Inhalation	Non-applicable	Non-applicable	84,31 mg/m³	Non-applicable

PNEC:

Identification				
propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg
1-methoxy-2-propanol	STP	100 mg/L	Fresh water	10 mg/L
CAS: 107-98-2	Soil	4,59 mg/kg	Marine water	1 mg/L
EC: 203-539-1	Intermittent	100 mg/L	Sediment (Fresh water)	52,3 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	5,2 mg/kg
sotridecanol, ethoxylated> 2.5 mol EO	STP	1,4 mg/L	Fresh water	0,074 mg/L
CAS: 69011-36-5	Soil	0,1 mg/kg	Marine water	0,007 mg/L
EC: 500-241-6	Intermittent	0,015 mg/L	Sediment (Fresh water)	0,604 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,06 mg/kg
sotridecanol, ethoxylated (5 mol EO)	STP	1,4 mg/L	Fresh water	0,074 mg/L
CAS: 69011-36-5	Soil	0,1 mg/kg	Marine water	0,007 mg/L
EC: 500-241-6	Intermittent	0,015 mg/L	Sediment (Fresh water)	0,604 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,06 mg/kg
3-methylbutan-1-ol	STP	37 mg/L	Fresh water	0,12 mg/L
CAS: 123-51-3	Soil	0,029 mg/kg	Marine water	0,012 mg/L
EC: 204-633-5	Intermittent	1,2 mg/L	Sediment (Fresh water)	0,496 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,05 mg/kg
heptan-2-one	STP	12,5 mg/L	Fresh water	0,098 mg/L
CAS: 110-43-0	Soil	0,321 mg/kg	Marine water	0,01 mg/L
EC: 203-767-1	Intermittent	0,982 mg/L	Sediment (Fresh water)	1,89 mg/kg
EG: 203-767-1		3.	,	,

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 5/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Breakthrough time: > 480	ı	Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection min, Thickness: 0.062 mm) CAT III		Mandatory hand	(Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
*	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	*	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 14,51 % weight

V.O.C. density at 20 °C: 142,9 kg/m³ (142,9 g/L)

Average carbon number: 3,3

Average molecular weight: 66,72 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid Appearance: Fluid

*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 6/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

S	ECTION 9: PHYSICAL AND CHEMICAL PROPE	RTIES (continued)
	Colour:	Blue
	Odour:	Fruity
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	98 °C
	Vapour pressure at 20 °C:	2451 Pa
	Vapour pressure at 50 °C:	12861,06 Pa (12,86 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	980 - 990 kg/m³
	Relative density at 20 °C:	0,993
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	8 - 9
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	192 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.	2 Other information:	
	Information with regard to physical hazard classe	s:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics: Surface tension at 20 °C:	Non applicable *
		Non-applicable * Non-applicable *
	Refraction index:	ι το π-αργιτο ανίσ

SECTION 10: STABILITY AND REACTIVITY

*Not relevant due to the nature of the product, not providing information property of its hazards.

10.1 Reactivity:

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 7/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 10: STABILITY AND REACTIVITY (continued)

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: propan-2-ol (3); ethanol (1); Eugenol (3); Coumarin (3); d-limonene (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 8/13

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Ac	ute toxicity	Genus
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat
Isotridecanol, ethoxylated> 2.5 mol EO	LD50 oral	500 mg/kg	Rat
CAS: 69011-36-5	LD50 dermal	Non-applicable	
EC: 500-241-6	LC50 inhalation	Non-applicable	
3-methylbutan-1-ol	LD50 oral	5726 mg/kg	Rat
CAS: 123-51-3	LD50 dermal	3216 mg/kg	Rabbit
EC: 204-633-5	LC50 inhalation	Non-applicable	
heptan-2-one	LD50 oral	1600 mg/kg	Rat
CAS: 110-43-0	LD50 dermal	Non-applicable	
EC: 203-767-1	LC50 inhalation	11 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
1-methoxy-2-propanol	LC50	20800 mg/L (96 h)	Pimephales promelas	Fish
CAS: 107-98-2	EC50	23300 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-539-1	EC50	1000 mg/L (168 h)	Selenastrum capricornutum	Algae

^{**} Changes with regards to the previous version

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 9/13

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification		Concentration	Species	Genus
Isotridecanol, ethoxylated (5 mol EO)	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 69011-36-5	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 500-241-6	EC50	>10 - 100 mg/L (72 h)		Algae
3-methylbutan-1-ol	LC50	700 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 123-51-3	EC50	255 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-633-5	EC50	493 mg/L (72 h)	Desmodesmus subspicatus	Algae
heptan-2-one	LC50	131 mg/L (96 h)	Pimephales promelas	Fish
CAS: 110-43-0	EC50	Non-applicable		
EC: 203-767-1	EC50	Non-applicable		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degra	adability	Biodegradab	pility
propan-2-ol	BOD5	1,19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2,23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0,53	% Biodegradable	86 %
1-methoxy-2-propanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 107-98-2	COD	Non-applicable	Period	28 days
EC: 203-539-1	BOD5/COD	Non-applicable	% Biodegradable	90 %
3-methylbutan-1-ol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 123-51-3	COD	Non-applicable	Period	27 days
EC: 204-633-5	BOD5/COD	Non-applicable	% Biodegradable	84 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
propan-2-ol	BCF	3
CAS: 67-63-0	Pow Log	0.05
EC: 200-661-7	Potential	Low
1-methoxy-2-propanol	BCF	3
CAS: 107-98-2	Pow Log	-0.44
EC: 203-539-1	Potential	Low
heptan-2-one	BCF	7
CAS: 110-43-0	Pow Log	1.98
EC: 203-767-1	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
propan-2-ol	Koc	1.5	Henry	8,207E-1 Pa·m³/mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes
3-methylbutan-1-ol	Koc	5.3	Henry	1,34 Pa·m³/mol
CAS: 123-51-3	Conclusion	Very High	Dry soil	Yes
EC: 204-633-5	Surface tension	2,474E-2 N/m (25 °C)	Moist soil	Yes
heptan-2-one	Koc	280	Henry	17,12 Pa·m³/mol
CAS: 110-43-0	Conclusion	Moderate	Dry soil	Yes
EC: 203-767-1	Surface tension	2,612E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

- CONTINUED ON NEXT PAGE -

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 10/13

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods:

	Code	Description	Waste class (Regulation (EU) No 1357/2014)
L	20 01 30	detergents other than those mentioned in 20 01 29	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
115	Environmental hazarde:	No

Environmental hazards:

14.6 Special precautions for user

Special regulations: Non-applicable Tunnel restriction code: Non-applicable Physico-Chemical properties: see section 9 Limited quantities: Non-applicable Maritime transport in bulk Non-applicable

14.7 according to IMO instruments:

Transport of dangerous goods by sea:

With regard to IMDG 40-20:

14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
44 5	Marina nallutanti	No

Marine pollutant:

14.6 Special precautions for user

Special regulations: Non-applicable

EmS Codes:

Physico-Chemical properties: see section 9 Limited quantities: Non-applicable Segregation group: Non-applicable Maritime transport in bulk Non-applicable

14.7 according to IMO instruments:

Transport of dangerous goods by air:

- CONTINUED ON NEXT PAGE -

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 11/13

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 14: TRANSPORT INFORMATION (continued)

With regard to IATA/ICAO 2023:

14.1 UN number or ID number: Non-applicable
 14.2 UN proper shipping name: Non-applicable
 14.3 Transport hazard class(es): Non-applicable
 Labels: Non-applicable
 14.4 Packing group: Non-applicable

14.5 Environmental hazards: No

14.6 Special precautions for user

Physico-Chemical properties: see section 9 **14.7 Maritime transport in bulk** Non-applicable

according to IMO instruments:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 2-methyl-2H-isothiazol-3-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: propan-2-ol (Product-type 1, 2, 4); 2-methyl-2H-isothiazol-3-one (Product-type 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
perfumes	

Preservation agents: 2-methyl-2H-isothiazol-3-one (METHYLISOTHIAZOLINONE).

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc)

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays.
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

MERIDA MULTI FLOOR CHERRY PLUS +

SECTION 15: REGULATORY INFORMATION (continued)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

· New declared substances

3-methylbutan-1-ol (123-51-3)

Isotridecanol, ethoxylated (5 mol EO) (69011-36-5)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Acute Tox. 4: H332 - Harmful if inhaled.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Date of compilation: 12/01/2018 Revised: 06/10/2022 Version: 3 (Replaced 2) Page 13/13