

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/26/2021 Revision date: 1/26/2024 Supersedes version of: 11/21/2022 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: OE48 White Flowers 250ml
UFI	: 68QF-00UG-7K1K-0GR3
Type of product	: Air care products
Vaporizer	: Aerosol
Product group	: Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Professional use,Consumer use
Use of the substance/mixture	:	Room fragrance. Use only as directed on the aerosol
Function or use category	:	Perfumes, fragrances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Merida Sp. z o.o.. ul. Karkonoska 59 53-015 Wrocław – dolnośląskie - POLSKA Tel.: +48 (071) 3397888 Fax: +48 (071) 3616161 e-mail: sekretariat@merida.com.pl

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/	2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H319 - Causes serious eye irritation.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 - Do not pierce or burn, even after use. P102 - Keep out of reach of children.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EUH-statements	 P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F, 50 °C. P211 - Do not spray on an open flame or other ignition source. P260 - Do not breathe gas, spray. EUH208 - Contains Pentadecan-15-olide. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	34.1649 – 46.893	Flam. Gas 1A, H220 Press. Gas
propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	21.4368 – 28.1358	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
isobutane	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395- 27	4.0194 – 17.4174	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	12.7267104	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Pentadecan-15-olide	CAS-No.: 106-02-5 EC-No.: 203-354-6 REACH-no: 01-2119987323- 31	0.10 - 0.50	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-0000015458- 64	0.01 - 0.05	Eye Irrit. 2, H319

MER Oe48 W Flowers 250ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2- naphthyl)ethan-1-one	CAS-No.: 54464-57-2 EC-No.: 259-174-3	0.01 - 0.05	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
2,6-dimethyloct-7-en-2-ol	CAS-No.: 18479-58-8 EC-No.: 242-362-4	0.01 - 0.05	Skin Irrit. 2, H315 Skin Sens. 1, H317
galaxolide (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.01 - 0.05	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.01 - 0.05	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
acetyl cedrene	CAS-No.: 32388-55-9 EC-No.: 251-020-3	0.01 - 0.05	Skin Sens. 1, H317 Aquatic Chronic 1, H410 (M=1)
(1,7,7-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	CAS-No.: 68877-29-2 EC-No.: 272-556-4	0.01 - 0.05	Not classified

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	 In case of doubt or persistent symptoms, consult always a physician. May produce an allergic reaction. In all cases of doubt, or when symptoms persist, seek medical attention. Remove person to fresh air and keep comfortable for breathing. Keep warm and in a quiet place.
First-aid measures after skin contact	: May produce an allergic reaction. Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Remove contaminated clothes. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	 Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Obtain medical attention if pain, blinking or redness persists. If irritation persists, consult a doctor.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). IF SWALLOWED: Immediately call a POISON CENTER/doctor. Allow the victim to rest. Do NOT induce vomiting. Seek medical advice (show the label where possible).
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Refer to section 11.
4.3. Indication of any immediate medical at	tention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor/physician if you feel unwell.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: ABC-powder. Use water spray or fog for cooling exposed containers. Water spray. Water fog. Dry chemical, CO2, dry sand, or alcohol-resistant foam. BC-powder. Do not allow run-off from fire-fighting to enter drains or water courses.
Unsuitable extinguishing media	: Do not use water jet.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the subst	tance or mixture
Fire hazard	: Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Explosion hazard	: In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Reactivity in case of fire	: Do not breathe smoke.
Hazardous decomposition products in case of fire	: Fire will produce dense black smoke. Carbon dioxide. Carbon monoxide. Thermal decomposition generates toxic vapours.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions	 Evacuate area. Use standard firefighting procedures. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. Use water spray or fog for cooling exposed containers.
Protection during firefighting Other information	 Use self-contained breathing apparatus and chemically protective clothing. Evacuate unnecessary personnel.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Protective equipment	: Avoid contact with skin and eyes.	
Emergency procedures	: Keep away from sources of ignition - No smoking.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable protective clothing. See Section 8.	
6.2. Environmental precautions		

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Do not empty into drains. Notify authorities if product enters sewers or public waters. Collect up the product and place it in a spare container suitably labelled. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.3. Methods and material for containm	nent and cleaning up
Methods for cleaning up	: Clean preferably with a detergent - Avoid the use of solvents.

6.4. Reference to other sections

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Additional hazards when processed	 Fire prevention : Handle in well-ventilated areas. Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air. Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits. Do not spray on a naked flame or any incandescent material. Do not pierce or burn, even after use. Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected. Keep packages tightly closed and away from sources of heat, sparks and naked flames. Do not use tools which may produce sparks. Do not smoke. Prevent access by unauthorised personnel.
Precautions for safe handling Hygiene measures	 Always wash hands after handling the product. Remove contaminated clothing immediately Provide local exhaust or general room ventilation. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.
7.2. Conditions for safe storage, include	uding any incompatibilities
Storage conditions Heat and ignition sources Packaging materials	 Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. The floor of the depot should be impermeable and designed to form a water-tight basin. Store in a dry place. Keep out of frost. Keep away from heat and direct sunlight. Keep only in the original container in a cool,well-ventilated place away from combustible materials
7.3 Specific end use(s)	materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation. Eyewash station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear suitable protective clothing and eye/face protection. eye protection. Do not spray into eyes. Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety goggles	Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Separate working clothes from town clothes. Launder separately. Work clothing worn by personnel shall be laundered regularly. Not necessary at efficient use.

Hand protection:

Wear suitable gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Always wash hands after handling the product. Not necessary at efficient use.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Nitrile rubber (NBR)				EN 374-2

8.2.2.3. Respiratory protection

Respiratory protection:

Do not breathe spray. Use only outdoors or in a well-ventilated area

Respiratory protection			
Device	Filter type	Condition	Standard
Gas filters	Filter A1/B1		EN 14387

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Other information:

Use personal protective equipment that is clean and has been properly maintained. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Avoid contact with eyes.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and o	hemical properties	
Physical state	: Liquid	
Colour	: Colourless.	
Appearance	: Aerosol.	
Odour	: Not available	
Odour threshold	: Not available	
Melting point	: Not available	
Freezing point	: Not available	
Boiling point	: Not available	
Flammability	: Not available	
Lower explosion limit	: Not available	
Upper explosion limit	: Not available	
Flash point	: Not applicable	
Auto-ignition temperature	: Not available	
Decomposition temperature	: Not available	
pH	: Not available	
Viscosity, kinematic	: Not available	
Solubility	: Not available	
Partition coefficient n-octanol/water (Log Kow)	: Not available	
Vapour pressure	: Not available	
Vapour pressure at 50°C	: Not available	
Density	: 0.62 g/cm ³	
Relative density	: Not available	
Relative vapour density at 20°C	: Not available	
Particle characteristics	: Not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients

: 88.71367379 %

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions of use. Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

May react explosively even in the absence of air at elevated pressure and/or temperature.

10.4. Conditions to avoid

Heat. Heat sources. Overheating. Open flame. Protect from freezing. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep away from sources of ignition - No smoking. Store in a dry place.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

On burning: release of toxic and corrosive gases/vapours nitrous vapours carbon monoxide - carbon dioxide. Stable under normal conditions of use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information		
11.1. Information on hazard classes as define	ed in Regulation (EC) No 1272/2008	
Acute toxicity (dermal)	Not classified Not classified Not classified	
propane (74-98-6)		
LC50 Inhalation - Rat	> 10 mg/l/4h	
Ethanol (64-17-5)		
LD50 oral rat	10470 mg/kg	
LD50 dermal rabbit	> 15800 mg/kg	
LC50 Inhalation - Rat	51 – 124.7 mg/l/4h	
LC50 Inhalation - Rat (Dust/Mist)	> 117 mg/l/4h	
Skin corrosion/irritation :	Not classified	
Ethanol (64-17-5)		
pН	5.3	
Serious eye damage/irritation	Causes serious eye irritation.	
Ethanol (64-17-5)		
рН	5.3	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure	Not classified	
Propan-2-ol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	Not classified	
Aspiration hazard	Not classified	
MER Oe48 W Flowers 250ml		
Vaporizer	Aerosol	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information

12.1. Toxicity		
(acute)	Not classified	
Hazardous to the aquatic environment, long-term : Not classified (chronic)		
Ethanol (64-17-5)		
LC50 - Fish [1]	13000 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	12340 mg/l	
EC50 72h - Algae [1]	275 mg/l	

MER Oe48 W Flowers 250ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)		
ErC50 algae	275 mg/l chlorella vulgaris	
12.2. Persistence and degradability		
MER Oe48 W Flowers 250ml		
Persistence and degradability	Rapidly degradable	
Propan-2-ol (67-63-0)		
Persistence and degradability	Rapidly degradable	
2,6-dimethyloct-7-en-2-ol (18479-58-8)		
Persistence and degradability	Rapidly degradable	
Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-py	ıran-4-ol (63500-71-0)	
Persistence and degradability	Rapidly degradable	
galaxolide (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable	
Hexyl salicylate (6259-76-3)		
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethy	I-2-naphthyl)ethan-1-one (54464-57-2)	
Persistence and degradability	Rapidly degradable	
Pentadecan-15-olide (106-02-5)		
Persistence and degradability	Rapidly degradable	
acetyl cedrene (32388-55-9)		
Persistence and degradability	Rapidly degradable	
(1,7,7-trimethylbicyclo[2.2.1]hept-2-yl)cyclohe	xan-1-ol (68877-29-2)	
Persistence and degradability	Rapidly degradable	
propane (74-98-6)		
Persistence and degradability	readily degradable in water.	
butane (106-97-8)		
Persistence and degradability	Rapidly degradable	
isobutane (75-28-5)		
Persistence and degradability	Rapidly degradable	
Ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable.	
Biochemical oxygen demand (BOD)	1 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.9 g O₂/g substance	
BOD (% of ThOD)	0.53 % ThOD	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential		
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 @30°C	
Ethanol (64-17-5)		
BCF - Fish [1]	1.93	
Partition coefficient n-octanol/water (Log Pow)	-0.35	
Bioaccumulative potential	No bioaccumulation.	
12.4. Mobility in soil		

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA		
ADR	IMDG	ΙΑΤΑ
14.1. UN number or ID number		
UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name		
AEROSOLS (ISOPROPANOL (ISOPROPYL ALCOHOL))	AEROSOLS (ISOPROPANOL (ISOPROPYL ALCOHOL))	Aerosols, flammable (ISOPROPANOL (ISOPROPYL ALCOHOL))
Transport document description		
UN 1950 AEROSOLS (ISOPROPANOL (ISOPROPYL ALCOHOL)), 2.1, (D)	UN 1950 AEROSOLS (ISOPROPANOL (ISOPROPYL ALCOHOL)), 2.1	UN 1950 Aerosols, flammable (ISOPROPANOL (ISOPROPYL ALCOHOL)), 2.1
14.3. Transport hazard class(es)		
2.1	2.1	2.1
	2	
14.4. Packing group		·
Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: 5F	
Special provisions (ADR)	: 190, 327, 344, 625	
imited quantities (ADR)	: 11	
Excepted quantities (ADR)	: E0	
Packing instructions (ADR)	: P207	
Special packing provisions (ADR)	: PP87, RR6, L2	
lixed packing provisions (ADR)	: MP9	
ransport category (ADR)	: 2	
Special provisions for carriage - Packages (ADR)	: V14	
Special provisions for carriage - Loading, unloading	: CV9, CV12	
and handling (ADR)		
Special provisions for carriage - Operation (ADR)	: S2	
unnel restriction code (ADR)	: D	
ransport by sea		
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959	
Packing instructions (IMDG)	: P207, LP200	
Special packing provisions (IMDG)	: PP87, L2	
EmS-No. (Fire)	: F-D	
EmS-No. (Spillage)	: S-U	
Stowage category (IMDG)	: None	
Stowage and handling (IMDG)	: SW1, SW22	
Segregation (IMDG)	: SG69	
Air transport		
PCA Excepted quantities (IATA)	: E0	
PCA Limited quantities (IATA)	: Y203	
PCA limited quantity max net quantity (IATA)	: 30kgG	
PCA packing instructions (IATA)	: 203	
PCA max net quantity (IATA)	: 75kg	
CAO packing instructions (IATA)	: 203	
CAO max net quantity (IATA)	: 150kg	
Special provisions (IATA)	: A145, A167, A802	
ERG code (IATA)	: 10L	

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Ot	her information
----------------	-----------------

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
EUH208	Contains Pentadecan-15-olide. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Press. Gas	Gases under pressure
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable